












	EQUIPMENT	6H% (#&)
	Gdfi b[ 'gi gdYbg]cb Xfuk VUf adjustable in height	●
	<nxfu 'jWgi gdYbg]cb Xfuk VUf adjustable in height	○
	<nxfu 'jWwi HW with hand pump	●
	' ) \$a a fYa cj UYYVti d]b[ 'f]b[ 'on Scharmüller universal plate	●
	' , \$a a fYa cj UYYVti d]b[ 'VU' on Scharmüller universal plate	○
	Road and off-highway homologation	●
	Axles mounted on gdYVjU Vcbgfi V]cb Vc[ [ ]Y with high amplitude	●
	DcVU]b \nxfu 'jWgg]g]ubW	○
	Parabolic suspension leaves	●
	<nxfu 'jWVU_]b[ with heavy-duty brakes	●
	Mixed \nxfu 'jWubXU]f braking	○
	5]fVfU_]b[ (40 km/h homologation)	○
Other set of tyres : consult us	○	
	'Cb! XYa UbXF 5@Vt'cf (special painting applied in factory)	○
	'FUjgY'fYU' dUby for a use without door	●
	Chassis made of k YUR fYg]ghYb<G@5' D96 fDfY'9b[ ]bYfYX'6i ]X]b[ g]gHY	●
	<b>HARDOX® 450 bottom</b> , thickness 10mm	●
	<b>SSAB Domex® 500 sides</b> , thickness 10mm	●
	<b>All HARDOX® body</b>	○
	FcVgVfYU_Yf upper sides	●
	5i hca Uh]Wkccf with high amplitude	○
	Set of electric wires dfchVWX]b]c WUg]g	●
8ci VY@98 ]] \hg with protection grid	●	
	-bXYdYbXYbh\nxfu 'jW]fV]h with piston pump	●
	@U[ YUb[ 'YXi a d]b[ ]_bYa Uh]Wike dumpers	●
	: UghXi a d]b[ V]W] by high flow distributor	●
	8ci VY! U]b[ V]b]XYfg with ball connections for a lifetime excellence	●
	@cUX fUbgZf V]b]XYf on rear axle (on boggie axles only)	○

● standard ○ option – not available  
<sup>1</sup> High Strength Low Alloy



**8I A D-B;** <nxfu 'jWkccf'k ]h \]] \Ua d]h XY  
 5HD fUb[ Y HY'Ygd]W]h]bXYf a ci bhYX'cb Z]Ua Y'UbX VU' VcbbY]cb hc UVgcfV'h Y g]fYggYg'UbXk YUf fY UYX' hc'Xi a d]b[ 'cdYfU]cbg]hc U'ck 'Ub ]b]Ybg] Y i gY' k ]h ^cb[ Y] ]m

**<#7<** DfchV]cb ZcbhW]d U[ U]bghhY Z]'cZUVUg] Y' a UYf]Ug

**DFCH97H-CB** <nxfu 'jWgi gdYbg]cb Xfuk VUf UX↑ g]U'Y ]b \Y] [ \h cb h'fY' d'cg]h]cbg

**<MBF 5I @= 5GG-GH5B 79** **Traction assistance forward and reverse**  
 i d'hc' \_a #\ ]b[ ('k \YY' Xf] Y f(K 8Ł  
 cb'U' Yg i d'hc' %\_a #\ ]b[ &k \YY' Xf] Y f&k 8Ł  
 G]nYX Zcf ]b]Ybg] Y i gYg



**ATP 20**

with 4WD hydraulic assistance on axles



**BT 18/25**

with 4WD hydraulic assistance on axles

## The hydraulic assistance : More mobility for a better productivity

The **Addidrive® Assist** system born from the partnership between **Gourdon** and **Poclair Hydraulics** improves crossing and grip capacities by increasing the motor skills of fully loaded towed sets on rough, muddy or sloping fields.

### HOW IT WORKS

The driver gives an assistance instruction (front-rear-hold) using the joystick in the cabin and uses the trailer as a "usual" trailer. The system status can be viewed in real time on a monitor placed in the cabin.

The transition from 4WD to 2WD then to 0WD (and vice versa) is automatic, without any intervention from the driver.

Thanks to the holding capacity of the hydraulic assistance, the trajectory & safety of the convoy are also guaranteed.

**With Gourdon hydraulic assistance, reach the toughest fields and win new markets throughout the year.**

**Go where others don't.**

### PERFORMANCES



FUEL SAVINGS



INCREASE OF THE CARRIED PAYLOAD,  
WITHOUT INCREASING THE POWER OF THE  
TOWING TRACTOR



MOVING THE SAME PAYLOAD WITH A LOWER  
POWER TRACTOR



EXTENSION OF THE RANGE OF USE OF YOUR  
EQUIPMENT

# Turn transport simple.

Specialized in the manufacturing of trailers for more than 40 years, Gourdon SA is a family business which makes the choice to place its expertise at your disposal to offer smart and quality equipment.



## RELIABILITY

Rugged and heavy-duty components, optimized structures and Gourdon patented technologies are as many features that guarantee you a lifetime excellence.

## SERVICE

An after-sales service managed by professionals here to advise you. Thanks to your serial number, access the spare parts tool on our website.

## INNOVATION

Key technologies developed by Gourdon to serve your productivity and your safety. Mastered in-house design and production.

## COMFORT

Technical, ergonomic and optimized solutions to ease the coupling of the trailer, as well as the loading and the securing of the equipment.



GOURDON / Brochure\_ATP\_BT\_202002. The technical characteristics and the engravings are given as an indication, without obligation on our part and are therefore subject to change without notice. Non-contractual photo. Subject to typographical errors.

**GOURDON FRÈRES**, PLC with a share capital of 310 000€  
2693 route de Geaune, FR – 40800 AIRE SUR L'ADOUR SIREN :  
340 806 439 – RCS MONT DE MARSAN  
Phone: +33 (0) 5 58 71 65 83  
Mail: [contact@remorques-gourdon.com](mailto:contact@remorques-gourdon.com)  
Web: [www.remorques-gourdon.com](http://www.remorques-gourdon.com)



Find us on :

